## Leading Causes of Death for Women Gibson County vs. Indiana, 1995-1999

|                 |                             | Gibson County |   | Indiana           |
|-----------------|-----------------------------|---------------|---|-------------------|
| All Causes      | Deaths<br>Age-Adjusted Rate | 890<br>724.12 |   | 136,704<br>778.40 |
| Cardiovascular  | Deaths<br>Age-Adjusted Rate | 403<br>311.93 |   | 59,221<br>326.70  |
| Homicide        | Deaths<br>Age-Adjusted Rate | 0             | u | 555<br>3.65       |
| HIV/AIDS        | Deaths<br>Age-Adjusted Rate | 0             | u | 109<br>0.72       |
| Lung Cancer     | Deaths<br>Age-Adjusted Rate | 31<br>28.60   |   | 7,517<br>45.37    |
| Breast Cancer   | Deaths<br>Age-Adjusted Rate | 18            | u | 4,778<br>29.16    |
| Ovarian Cancer  | Deaths<br>Age-Adjusted Rate | 11            | u | 1,564<br>9.48     |
| Cervical Cancer | Deaths<br>Age-Adjusted Rate | 3             | u | 522<br>3.31       |

s = significantly different from the state rate u = unstable rate (numerator less than 20)

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team